

Printing date 01/07/2016 Reviewed on 02/02/2015

1 Identification

· Product identifier

Trade name: <u>PremicoteTM P-75 Acrylic Primer</u>

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Accella Polyurethane Systems, LLC 1255 Kennestone Circle, Suite 200 Marietta, GA 30066

USA

www.premiumspray.com

· Information department: EH&S Department

· Emergency telephone number:

During normal operating hours: (770) 528-9556

ChemTrec: (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



Health hazard

Carc. 2 H351 Suspected of causing cancer.



Skin Sens. 1 H317 May cause an allergic skin reaction.

Eye Irrit. 2B H320 Causes eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Warning
- Hazard-determining components of labeling:

titanium dioxide

Poly(oxy-1,2-ethanediyl), a-(nonylphenyl-w-hydroxy-, branched

· Hazard statements

Causes eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer.

· Precautionary statements

In case of inadequate ventilation wear respiratory protection.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)



Printing date 01/07/2016 Reviewed on 02/02/2015

Trade name: PremicoteTM P-75 Acrylic Primer

(Contd. of page 1)

Avoid release to the environment.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Get immediate medical advice/attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting.

In case of fire: Use for extinction: CO2, sand, extinguishing powder.

In case of fire: Use for extinction: Water spray. Eliminate all ignition sources if safe to do so. IF ON SKIN: Wash with plenty of water. Absorb spillage to prevent material damage.

Take off contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store in a dry place.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
13463-67-7	titanium dioxide	1-5%	
	Carc. 2, H351		
57-55-6	propane-1,2-diol	0.5-1.5%	
	Acute Tox. 4, H302		

(Contd. on page 3)



Printing date 01/07/2016 Reviewed on 02/02/2015

Trade name: PremicoteTM P-75 Acrylic Primer

	(Cor	ntd. of page 2)
1333-86-4	Carbon black	≤ 1.0%
	Self-heat. 2, H252; Carc. 2, H351	
68412-54-4	Poly(oxy-1,2-ethanediyl), a-(nonylphenyl-w-hydroxy-, branched	≤ 1.0%
	Skin Sens. 1, H317	
7732-18-5	water, distilled, conductivity or of similar purity	30-60%
	Acrylic polymer(s)	10-30%

4 First-aid measures

- · Description of first aid measures
- · General information:

First Aid responders should pay attention to self-protection and use the recommended protective clothing. If potential for exposure exists refer to Section 8 for specific personal protective quipment.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. PVC boots, gloves, safety helmet and protective clothing should be worn.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Spilled material may cause slipping hazard. Refer to Section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 01/07/2016 Reviewed on 02/02/2015

Trade name: PremicoteTM P-75 Acrylic Primer

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed. Storage Period: 6 months Storage Temp: $15-35 \, \mathcal{C}$

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

57-55-6 propane-1,2-diol

WEEL Long-term value: 10 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure at low atmospheric levels use an approved air-purifying respiratory equiped with an organic vapor sorbent and a particle filter. In case of intensive or longer exposure use a positive pressure air-supplying respirator (air line or self-contained breathing apparatus).

· Protection of hands:

The workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

· Material of gloves

Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and microorganisms. Examples of preferred glove barrier materials include: Butyl rubber, Polyethylene, EVAL, Neoprene, Nitrile, Viton. When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher is recommended.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Printing date 01/07/2016 Reviewed on 02/02/2015

Trade name: PremicoteTM P-75 Acrylic Primer

(Contd. of page 4)

· Eye protection:



Tightly sealed chemical goggles consistent with EN 166 or equivalent. Wear a face-shield which allows use of chemical goggles, or wear full-face respirator to protect face and eyes when there is any likelyhood of splashes.

Physical and chemical proper	rties	
Information on basic physical and	chemical properties	
General Information	• •	
Appearance:		
Form:	Liquid	
Color:	Black	
· Odor: · Odor threshold:	Ammonia-like Not determined.	
	Not determined.	
pH-value:	ivoi determinea.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	> 100 °C (> 212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat		
· Viscosity:	<u>'</u>	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:	>50 a/l	
VOC content:	>50 g/l	
Solids content:	38 %	



Printing date 01/07/2016 Reviewed on 02/02/2015

Trade name: PremicoteTM P-75 Acrylic Primer

(Contd. of page 5)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability This product is stable at recommended storage conditions (See Section 7).
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritating effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

All ingredients are listed.

· NTP (National Toxicology Program)

All ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

All ingredients are listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 7)



Printing date 01/07/2016 Reviewed on 02/02/2015

Trade name: PremicoteTM P-75 Acrylic Primer

(Contd. of page 6)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

٠	Cl	ean	Air	Act
---	----	-----	-----	-----

None of the ingredients is listed.

· Clean Water Act

None of the ingredients is listed.

· Sara

· SARA 302/304 Extremely Hazardous Substance

None of the ingredients is listed.

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 8)



Printing date 01/07/2016 Reviewed on 02/02/2015

Trade name: PremicoteTM P-75 Acrylic Primer

Section 212 (Section desired Leaving Head	(Contd. of pa
Section 313 (Specific toxic chemical listings):	
1336-21-6 ammonia	
1344-28-1 aluminium oxide	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Massachusetts Right To Know	
57-55-6 propane-1,2-diol	
64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic	
64741-88-4 Distillates (petroleum), solvent-refined heavy paraffinic	
7631-86-9 silicon dioxide, chemically prepared	
1344-28-1 aluminium oxide	
New Jersey Right To Know	
64741-88-4 Distillates (petroleum), solvent-refined heavy paraffinic	
7631-86-9 silicon dioxide, chemically prepared	
1344-28-1 aluminium oxide	
Pennsylvania Right To Know	
57-55-6 propane-1,2-diol	
64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic	
64741-88-4 Distillates (petroleum), solvent-refined heavy paraffinic	
7631-86-9 silicon dioxide, chemically prepared	
1344-28-1 aluminium oxide	
Proposition 65	
Chemicals known to cause cancer:	
13463-67-7 titanium dioxide	
1333-86-4 Carbon black	
119-61-9 benzophenone	
14808-60-7 Quartz (SiO2)	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
13463-67-7 titanium dioxide	
13403-0/-/ Ittanium atoxiae 1333-86-4 Carbon black	
14808-60-7 Quartz (SiO2) 1309-37-1 diiron trioxide	



Printing date 01/07/2016 Reviewed on 02/02/2015

Trade name: PremicoteTM P-75 Acrylic Primer

1344-28-1	aluminium oxide	(Contd. of page 8) A4
· NIOSH-Ca	(National Institute for Occupational Safety and Health)	•
13463-67-7	titanium dioxide	
1333-86-4	Carbon black	
14808-60-7	Quartz (SiO2)	

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS07 GHS08

· Signal word Warning

· Hazard-determining components of labeling:

titanium dioxide

Poly(oxy-1,2-ethanediyl), a-(nonylphenyl-w-hydroxy-, branched

· Hazard statements

Causes eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer.

· Precautionary statements

In case of inadequate ventilation wear respiratory protection.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid release to the environment.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting.

In case of fire: Use for extinction: CO2, sand, extinguishing powder.

In case of fire: Use for extinction: Water spray. Eliminate all ignition sources if safe to do so.

IF ON SKIN: Wash with plenty of water.

Absorb spillage to prevent material damage.

Take off contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store in a dry place.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 10)



Printing date 01/07/2016 Reviewed on 02/02/2015

Trade name: PremicoteTM P-75 Acrylic Primer

(Contd. of page 9)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Accella Polyurethane Systems, LLC urges each customer of recipient of this (M)SDS to study it carefully and consult

appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effectivie date shown on this (M)SDS. However, no warranty, express or implied is given. Regulatory reuirements are subject to change and may differ between various locations It is the buyer's/user's responsibility to ensure that his/her activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the produt are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M) SDS, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most curent version.

- · Department issuing SDS: Environmental Health & Safety Department.
- · Contact: M. Phillips
- · Date of preparation / last revision 01/07/2016 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

Self-heat. 2: Self-Heating Substances and Mixtures, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2