2024 ELECTRIC HVAC & WATER HEATING EQUIPMENT REBATE APPLICATION

SECTION A. CUSTO	MER INFO	RMATION (p	lease print)			
Step 1:						
Customer Name (as it appea	are on your utility	hill)		Account Number		
Customer Name (as it appea	irs on your utility	DIII)		Account Number		
Installation Address				City	Sta	ate Zip Code
Mailing Address (if different	from installation	address)		City	Sta	ate Zip Code
		ome Cell	Other:			
Contact Phone Number (with	area code)			E-mail Address		
Step 2:						
Please apply rebat	e to my account.	Please	send me a rebate check.			
Rebates \$75 and under will b	e applied to your	account. If a box is r	not checked a bill credit will	automatically be issue	ed.	
Step 3:						
How did you hear about C				nber of Commerce	Contractor	Newspaper Radio
Retailer/Vendor S	ocial Media	TV Utility N	Newsletter Utility Rep	resentative U	tility Web Site O	ther
Step 4:						
I am a:	My building ty	/pe is:	I am a:	My home/bus	siness is heated by:	My water heating is:
Residential Customer	Single Fan	nily	Owner/Occupant	Electric		Electric
Commercial Customer	Multi- Fam	ily	Owner/Non-Occupant	Gas		Gas
	buildings wi	th 2 or more units	Renter	Don't Kno	w	Don't Know
SIGNATURE: BY	typing my firs	st and last names	in the CUSTOMER SIGI	NATURE box below	, I am signing this o	locument and certify:
I have	e completely fi	illed out Sections	A and C		,	Allow 6-8 weeks
			the address listed in Se to the terms and condit		#1	for processing.
	•		CE AND REQUIRED SUP	· · · · · · · · · · · · · · · · · · ·		Missing or incorrect information will
	_					increase the processing time.
CUSTOMER SIGNATUR	E			Date		processing sinites
TEAMING UP TO SAVE YO	II MONEY	OFFICE II	SE ONLY	loo Di Flootrio	☐ Water To	otal Rebate Amount:
	OMOREI					
AUSTIN R	OCHESTER		Date			\$
UTILITIES OWATONNA PUBLIC UTILITIES WE PLE	C UTILITIES DGE, WE DELIVER™		ment			
CONICEDI/E O	CAN/E"	ID	Verified By		FILE NAME:	

SECTION B. REBATE APPLICATION CHECKLIST

Use this checklist to complete the steps to receive your rebates:

- 1. Read the following terms and conditions to determine if you are eligible for a rebate:
 - Only one service address per application.
 - · Rebates are intended for customers, not contractors or builders.
 - The Utility reserves the right to apply rebates to past due accounts. Rebates \$75 and under will be applied to your account. Rebates will not exceed the purchase price.
 - Energy-efficient equipment must be connected to an electric service supplied by Austin Utilities, Owatonna Public Utilities, or Rochester Public Utilities and is subject to inspection.
 - Purchase and install **NEW** products. Reconditioned, refurbished, or second-hand equipment is not eligible for a rebate. Products replaced under warranty or provided through a repair/replacement service agreement are not eligible for a rebate.
 - Equipment installations must meet our Minimum Efficiency Requirements to qualify for a rebate. Air-Conditioning, Heating, and Refrigeration Institute (AHRI) and ENERGY STAR® standards are used. The Utility reserves the right to reject any rebate application submitted as a result of work performed by a contractor who has failed to adhere to the terms and conditions established for the rebate program. Contractors must be licensed if applicable.
 - Due to limited funding, this rebate offer can be withdrawn at any time without notice. Applications will be processed on a first-come, first-served basis. All applications from this year's purchases (2024) must be received by March 31, 2025.
 - Rebates can only be offered on equipment that is installed while funding is in effect. In the event our program is discontinued due to
 depleted funds, we will not provide a rebate for items installed between the discontinued date and the end of that year.
- 2. Complete the application, making sure to fill out all required sections in detail. Allow 6-8 weeks for processing. Missing or incorrect information will increase the processing time.
- **3.** Include a final, detailed copy of the original sales receipt, invoice, or picking slip showing the customer name, date of sale, manufacturer name, model number, size, and date of installation. **All HVAC equipment must have serial and model numbers listed on the invoice.**
- **4.** For FURNACE FAN MOTOR REPLACEMENTS rebates, applicant must also include documentation that the replacement motor is an Electronically Commutated Motor (ECM) or equivalent.
- 5. Sign the application.
- 6. Information contained in this rebate application may be shared with the Minnesota Department of Commerce and our co-op partners.
- 7. Submit completed forms and required documentation to your utility provider:

Austin Utilities

Apply by Mail: Attn: Rebate Processing

1908 14th St NE Austin, MN 55912-4904

507-433-8886

Apply Online: www.austinutilities.com **Apply by Email:** rebates@austinutilities.com

Owatonna Public Utilities

Apply by Mail: Attn: Rebate Processing

PO Box 800

Owatonna, MN 55060-0800

507-451-2480

Apply Online: www.owatonnautilities.com

Apply by Email: rebates@owatonnautilities.com

Rochester Public Utilities

Apply by Mail: Attn: Rebate Processing

4000 E River Rd NE Rochester, MN 55906-2813

507-280-1500 www.rpu.org

Apply by Email: rebates@rpu.org

SECTION C. CONTRACTOR/RETAILER INFORMATION (please print)

Contractor's/Retailer's Name	Contact Person	Phone Number (with area code)
Installer's Name (write SELF if customer installed)		
Type of Appliance/Equipment Installed		
Above the control de territories		
Contractor's/Retailer's Name	Contact Person	Phone Number (with area code)
Installer's Name (write SELF if customer installed)		
installer's Name (write SELF ii customer installeu)		
Type of Appliance/Equipment Installed		

2024 ELECTRIC HVAC - USED FOR COOLING ONLY

CENTRAL AIR CONDITIONERS, MINI-SPLIT AIR CONDITIONERS, OR AIR SOURCE HEAT PUMPS **USED FOR COOLING ONLY** SEER = Seasonal Energy Efficiency Rating MINIMUM EFFICIENCY REQUIREMENTS: SEER = 16.0 | Must be AHRI Certified SEER2 = Seasonal Energy Efficiency Rating 2 SEER2 = 15.2 | Must be AHRI Certified AHRI = Air-Conditioning, Heating, and Refrigeration Institute www.ahridirectory.org REBATE: SEE CHARTS AT THE BOTTOM OF THIS PAGE Central Air Conditioner **Equipment Type:** Mini-Split Air Conditioner (cooling only) Air Source Heat Pump (cooling only) **Efficiency Type:** SEER (Rebate Calculation 1) SEER2 (Rebate Calculation 2) **Cooling Capacity:** < 20,000 Btuh 20,000-65,000 Btuh **Project Type:** Retrofit **New Construction** Why was this purchased? No previous unit Replace failed unit Replace working unit If replacing working unit, check existing type and efficiency (if known): Central AC _____ SEER Through-the-Wall AC _____ SEER ____ EER Air Source Heat Pump _____ SEER Mini-Split _____ SEER Other/Unknown ____ _____ SEER _____ EER Outdoor Unit Model #: Manufacturer's Name: Indoor Unit Model #: Manufacturer's Name: AHRI Certified Reference #: Cooling Capacity (Btuh)^: Cooling Capacity (Tons): Required - please include copy of AHRI Certificate. Rated Efficiency (SEER or SEER2 by AHRI): Rated Efficiency (EER or EER2 by AHRI): OFFICE USE ONLY Date of Installation: Number of Units Installed: For multi-head ductless systems, the capacity is the minimum

SEER EFFICIENCY – REBATE CALCULATION 1:							
Α	В	С	D	E			
Base Rebate from Table 1	SEER by AHRI	Column B – 16.0 or 15.2 Minimum SEER (See Table 1)	Column C x \$20	Total Rebate (Column A + Column D)			

Rebate Total: \$

SEER2 EFFICIENCY – REBATE CALCULATION 2:							
A	В	С	D	E			
Base Rebate from Table 1	SEER2 by AHRI	Column B – 15.2 Minimum SEER2	Column C x \$20	Total Rebate (Column A + Column D)			

TABLE 1: QUALIFYING EFFICIENCIES AND REBATE SCHEDULE								
Qualifying Equipment	Cooling Capacity	Minimum Efficiency	Base Rebate per Unit	Efficiency Bonus Rebate*				
Central AC/Air Source Heat Pump	< 20,000 Btuh	16.0 SEER	\$100	\$20				
Central AC/Air Source Heat Pump	20,000-65,000 Btuh	16.0 SEER	\$200	\$20				
Mini-Split AC	< 20,000 Btuh	15.2 SEER	\$100	\$20				
Mini-Split AC	20,000-65,000 Btuh	15.2 SEER	\$200	\$20				
Cooling Capacity < 20,000 Btuh		15.2 SEER2	\$100	\$20				
Cooling Capacity 20,000-65,000 Btuh		15.2 SEER2	\$200	\$20				

^{*}Efficiency Bonus Rebate provides an additional incentive for efficiencies above Minimum SEER or SEER2.

of the total indoor unit capacity or the outdoor unit capacity.

2024 ELECTRIC HVAC - USED FOR HEATING AND COOLING

AIR SOURCE HEAT PUMPS OR MINI-SPLIT AIR SOURCE HEAT PUMPS

USED FOR HEATING AND COOLING

MINIMUM EFFICIENCY REQUIREMENTS: SEE CHART AT THE BOTTOM OF THIS PAGE. Must be AHRI Certified.

SEER2 = Seasonal Energy Efficiency Rating 2 HSPF = Heating Seasonal Performance Factor HSPF2 = Heating Seasonal Performance Factor 2

SEER = Seasonal Energy Efficiency Rating

REBATE IS PER ASHP SYSTEM. FOR REBATE AMOUNTS, SEE CHART AT THE BOTTOM OF THIS PAGE. COP = Coefficient of Performance AHRI = Air-Conditioning, Heating, and Refrigeration Institute - www.ahridirectory.org

MAXIMUM REBATE NOT TO EXCEED 50% OF EQUIPMENT COST.

Equipment Type: Air Source Heat Pump (heating and cooling) Mini-Split Air Source Heat Pump (heating and cooling)

System Type: Ducted **Ductless**

Efficiency Type: SEER (Rebate Calculation 1) SEER2 (Rebate Calculation 2)

Cooling Capacity: < 20,000 Btuh 20,000-65,000 Btuh

Project Type: Retrofit **New Construction**

Why was this purchased? No previous unit Replace failed heating unit Replace working heating unit Supplement working heating unit **EXISTING EQUIPMENT: Heating Type:** Electric Heat Air Source Heat Pump Through-the-Wall Heat Pump Natural Gas/Other No Previous Unit

> **Cooling Type:** Central AC Air Source Heat Pump Through-the-Wall Heat Pump Room AC No Previous Unit

Manufacturer's Name: Indoor Unit Model #: Outdoor Unit Model #:

Cooling Capacity (Btuh)^: Cooling Capacity (Tons): Heating Capacity (Btuh)^: Heating Capacity (Tons):

Rated Efficiency (SEER or SEER2 by AHRI): EER or EER2: HSPF or HSPF2:

AHRI Certified Ref #: COP* at 5° F1: Switchover Temperature Setpoint (Degrees):

Required - please include copy of AHRI Certificate. * If AHRI certificate does not verify COP at 5° F, use NEEP's Cold Climate Air Source Heat Pump qualifying list to obtain those ratings. Go to ashp.neep.org and select "End User/Consumer".

OFFICE USE ONLY Date of Installation: # of Units Installed:

For multi-head systems, the system capacity is the minimum of the total indoor unit capacity or the outdoor unit capacity.

Rebate Total: \$

SEER EFFICIENCY – REBATE CALCULATION 1:							
Α	В	С	D	E			
Base Rebate from Table 2	SEER by AHRI	Column B – 16.0 or 15.2 Minimum SEER (see Table 2)	Column C x \$10 or \$20 (see Table 2)	Total Rebate (Column A + Column D)			

SEER2 EFFICIENCY – REBATE CALCULATION 2:						
A	В	С	D	E		
Base Rebate from Table 2	SEER2 by AHRI	Column B – 15.2 Minimum SEER2	Column C x \$10 or \$20 (see Table 2)	Total Rebate (Column A + Column D)		

TABLE 2: QUALIFYING EFFICIENCIES AND REBATE CHART												
PROJECT TYPE	EXISTING HEATING			D ASHP	DUCTLES	DUCTLESS ASHP		DUCTED ASHP	DUCTLESS ASHP	ASHP Minimum	BASE REBATE	EFFICIENCY BONUS
TIPE	FUEL/TYPE	CAPACITY	MINIMUM SEER	MINIMUM HSPF	MINIMUM SEER	MINIMUM HSPF	SEER2	MINIM	JM HSPF2	COP AT 5° F ¹	REDAIL	REBATE ²
New Construction -OR-		< 20,000	16.0	8.1	15.2	8.1	15.2	7.8	7.8	NA	\$800	\$10
No Previous Heating Equipment	Any	1 20,000	10.0	9.0	15.2	10.0	15.2	7.7	8.5	1.75	\$1,000	\$10
-OR- Replace Failed	Ally	20,000-65,000	16.0	8.1	15.2	8.1	15.2	7.8	7.8	NA	\$1,600	\$10
Heating Equipment		20,000-05,000	16.0	9.0	15.2	10.0	15.2	7.7	8.5	1.75	\$2,000	\$10
		< 20.000	16.0	8.1	15.2	8.1	15.2	7.8	7.8	NA	\$900	\$10
	Electric Heat	< 20,000	16.0	9.0	15.2	10.0	15.2	7.7	8.5	1.75	\$1,100	\$10
		20,000-65,000	16.0	8.1	15.2	8.1	15.2	7.8	7.8	NA	\$1,800	\$10
				9.0		10.0	15.2	7.7	8.5	1.75	\$2,200	\$10
		< 20,000	16.0	8.1	15.2	8.1	15.2	7.8	7.8	NA	\$125	\$10
Replace or	Air Source			9.0	15.2	10.0		7.7	8.5	1.75	\$250	\$10
Supplement	Heat Pump	20,000-65,000	16.0	8.1	15.2	8.1	15.2	7.8	7.8	NA	\$250	\$10
Working		20,000-05,000	16.0	9.0	15.2	10.0	15.2	7.7	8.5	1.75	\$500	\$10
Heating Equipment	Through	< 20,000	16.0	8.1	15.2	8.1	15.2	7.8	7.8	NA	\$200	\$10
	Through- the-Wall	1 20,000	10.0	9.0	15.2	10.0	15.2	7.7	8.5	1.75	\$350	\$10
	Heat Pump	20,000-65,000	16.0	8.1	15.2	8.1	15.2	7.8	7.8	NA	\$400	\$10
		20,000-00,000	10.0	9.0	10.2	10.0	13.2	7.7	8.5	1.75	\$700	\$10
	Natural Gas/	< 20,000	16.0	7.8	15.2	7.8	15.2	7.5	7.5	NA	\$100	\$20
	Other	20,000-65,000	10.0	1.0	10.2	1.0	13.2	7.5	7.5	NA	\$200	\$20

¹ ASHPs with an HSPF ≥ 9 (Ducted) or HSPF ≥ 10 (Ductless) – OR – an HSPF2 ≥ 7.7 (Ducted) or HSPF2 ≥ 8.5 (Ductless) must also meet the minimum COP requirement to be eligible for the corresponding Base Rebate. Otherwise, the Base Rebate for the 8.1 minimum HSPF - OR - 7.8 minimum HSPF2 unit will be offered.

² Efficiency Bonus Rebate provides an additional incentive for efficiencies above Minimum SEER or SEER2.

2024 ELECTRIC HVAC - USED FOR HEATING AND COOLING

GROUND SOURCE HEAT PUMPS (GSHP)

MINIMUM EFFICIENCY REQUIREMENTS: SEE CHART AT THE BOTTOM OF THIS PAGE. Must be AHRI Certified.

COP = Coefficient of Performance

REBATE: SEE CHART AT THE BOTTOM OF THIS PAGE

EER = Energy Efficiency Rating

MAXIMUM REBATE NOT TO EXCEED 50% OF EQUIPMENT COST

AHRI = Air-Conditioning, Heating, and Refrigeration Institute - www.ahridirectory.org

Project Type:	Retrofit N	ew Constru	ction					
Why was this pure	chased?	o previous ι	unit Repla	ace failed equipment	Replace wo	rking equipment	Supplem	ent working equipment
If working, existir	ng equipment type	Cen	tral AC or Air Sou	rce Heat Pump with El	ectric Heat	Ground Source Heat	t Pump	Other/Unknown
System Type:	Closed-Loop Water-	o-Air	Closed-Loop Wate	r-to-Water Open-L	.oop Water-to-Air	Open-Loop Water-to	o-Water	Direct Geoexchange (DGX)
Manufacturer's Nar	ne:			Model #:				
Full Load EER by Al-	IRI:			Full Load	COP by AHRI:			
Average EER (multi-	stage units):^			Average	COP (multi-stage (units):^		
Size or Capacity (Fu	III Load Tons by Al	RI):		AHRI Ce	rtified Referenc	e #:		
				Require	d – please inclu	de copy of AHRI Cert	tificate.	
Number of Units Ins	stalled:		ate of Installatio	n:	Desuperhe	eater?: Yes	No	
					· '			
Total Cost of Projec	t: (materials, labor	etc.)			Loop Type:	: Horizontal	Vertical	Slinky
Water Heating:	Electric G	is Size o	f Water Heater in	Gallons:	Suppleme	ntal Heat Installed:	No	Yes: kW
REBATE CALCULA	TION:							
A	В	С	D	E	F	G		Н
Full Load Tons by Al	HRI Column A x \$2	00 ^EER1	Minimum EER ²	Column C – Column D	Column E x \$20	Column A x Column F	Total Reba	ate (Column B + Column G)

² See chart below

QUALIFYING EFFICIENCIES AND REBATE SCHEDULE:							
Qualifying Equipment	Minimum Efficiency	Base Rebate \$/Ton	EER Bonus Rebate* \$/Ton				
Closed-Loop Water-to-Air GSHP	17.1 EER and 3.6 COP	\$200	\$20				
Closed-Loop Water-to-Water GSHP	16.1 EER and 3.1 COP	\$200	\$20				
Open-Loop Water-to-Air GSHP	22.1 EER and 4.1 COP	\$200	\$20				
Open-Loop Water-to-Water GSHP	20.1 EER and 3.5 COP	\$200	\$20				
Direct Geoexchange (DGX) GSHP	16.0 EER and 3.6 COP	\$200	\$20				

[^]The Minimum Efficiencies shown to the left apply to single-stage models and also to multi-stage models based on the following calculated efficiencies:

EER = (highest rated capacity EER + lowest rated capacity EER)/2 COP = (highest rated capacity COP + lowest rated capacity COP)/2

OFFICE LICE ONLY

*EER Bonus Rebate provides an additional incentive for efficiencies above the Minimum Efficiency. Maximum Bonus Rebate = \$200/Ton

Qualifying Water-to-Air GSHP efficiency ratings are determined using the Air-Conditioning, Heating, and Refrigeration Institute's (AHRI) directory, which may be found at www.ahridirectory.org. EER rating is at ISO 13256-1 cooling conditions of 77°F entering water temp. and 80.6°F dry bulb/66.2°F wet bulb entering air temperature (ground loop heat pump). A copy of the manufacturer's applicable unit rating must accompany this application.

Qualifying Water-to-Water GSHP efficiency ratings are determined using the Air-Conditioning, Heating, and Refrigeration Institute's (AHRI) directory, which may be found at www.ahridirectory.org. EER rating is at ISO 13256-2 cooling conditions of 77°F entering water temp. and 53.6°F leaving water temperature (ground loop heat pump). Please include manufacturer's specification sheets verifying this information.

Qualifying DGX GSHPs must be rated in accordance with AHRI 870 rating conditions. **Please include manufacturer's specification sheets verifying this information.**

OTTICE USE ONE!	
Rebate Total: \$	_

 $[{]f 1}$ For single stage units use Full Load EER by AHRI. For multi-stage units use Average EER.

2024 ELECTRIC HVAC & WATER HEATING EQUIPMENT

ROOM AIR CONDITIONERS MINIMUM EFFICIENCY REQUIREMENTS: ENERGY STAR® LABEL REBATE: \$25 (no recycling of working unit) BONUS RECYCLE REBATE: not to exceed \$15 or actual cost (with proof of charge for recycling of working unit) MUST INCLUDE RECYCLE RECEIPT FOR BONUS RECYCLE REBATE Manufacturer's Name: MUST SHOW PROOF OF MODEL # TO QUALIFY FOR REBATE Rated Efficiency (CEER): Size or Capacity (Btu/hr output): Number of Units Installed: Date of Installation: OFFICE USE ONLY Rebate Total: \$_____ DOES THE UNIT HAVE A LOUVERED SIDE? YES Why was this purchased? To replace: no previous unit failed unit working unit IF PURCHASED TO REPLACE A **WORKING UNIT, WAS THE UNIT RECYCLED?** YES (Must include recycle receipt for rebate.) If YES, what was the recycling cost: _ **FURNACE FAN MOTORS** RETROFIT EXISTING FURNACE FAN MOTOR. NOT FOR NEW FURNACE INSTALLATIONS. MINIMUM EFFICIENCY REQUIREMENTS: Must be Electronically Commutated Motor (ECM) or equivalent; documentation required. REBATE: \$50 Manufacturer's Name: Motor Model #: Number of Units Installed: Date of Installation: OFFICE LISE ONLY NO UNKNOWN Do you have a central air conditioner? YES (EXISTING) YES (NEW) Have you attached the required documentation showing the Rebate Total: \$_ retrofit motor is an Electronically Commutated Motor (ECM) or equivalent? YES **ECM CIRCULATOR PUMPS** MINIMUM EFFICIENCY REQUIREMENTS: Must be a new Electronically Commutated Motor (ECM), DC brushless, or permanent magnet style. Must be >1/50 HP and <1 HP (no greater than 750 Watts). Must be capable of variable speed operation and must include integrated controls that automatically modulate flow based on demand. REBATES: <100 Watts = \$50 | 100-499 Watts = \$200 | 500-750 Watts = \$600 (all rebates not to exceed 50% of cost) HP = Horsepower **Project Type:** Retrofit New Installation **Circulator Pump Type:** Boiler Domestic Hot Water Manufacturer's Name: Model #: Size (Watts) (Motor Wattage = Rated HP x 746): ECM Circulator Cost: OFFICE USE ONLY Number of Units Installed: Date of Installation: Rebate Total: \$

2024 ELECTRIC HVAC & WATER HEATING EQUIPMENT

HEAT PUMP WATER HEATERS - ENERGY STAR®*

Retrofit

Project Type:

Manufacturer's Name:

New Installation

REBATES FOR HOMES WITH ELECTRIC HEAT (not to exceed 50% of cost): \$270 for 20-55 gallon heat pump

\$60 for >55 gallon heat pump

REBATES FOR HOMES WITH NATURAL GAS HEAT (not to exceed 50% of cost): \$400 for 20-55 gallon heat pump

\$90 for >55 gallon heat pump

ENERGY STAR® qualified product list: www.energystar.gov/productfinder/product/certified-water-heaters/

*MUST REPLACE AN EXISTING ELECTRIC STORAGE TANK WATER HEATER OR BE INSTALLED IN A NEW HOME. HEAT PUMP WATER HEATERS THAT REPLACE GAS, PROPANE, OR OTHER NON-ELECTRIC WATER HEATERS ARE NOT ELIGIBLE. ELECTRIC INSTANTANEOUS OR TANKLESS WATER HEATERS DO NOT QUALIFY.

Model #:

0: 0 !!	В.		. (f ENERGY OT	A.D. ® 1161 1		
Size in Gallons:	катес	d Uniform Energy Fac	tor (from ENERGY STA	AR® qualified produ	ct list):	—
Number of Units Installed:	Date	of Installation:		Water Heater	Cost:	
Why was this purchased? To replace:	no previous unit	failed unit	working unit			
Replaced failed or working unit was:	Electric Nat	tural Gas/Other				
Replaced failed or working unit:	Manufacturer's Name:			Model #:		
Primary method to HEAT your home:	Electric Nat	tural Gas/Other				
Considerations: Work with a licensed plumber to determine if a heat pump water heater is right for your home. For a heat pump water heater to run efficiently, the space should generally stay above 40 degrees Fahrenheit year round. Since heat pumps remove heat from the ambient air, there must be a considerable amount of air available in the space. Most manufacturers recommend a minimum of 750 cubic feet, which means closets (even those with louvered doors) are usually not appropriate locations for heat pump water heaters. Recommended clearances should be followed to ensure adequate air circulation. Visit www.energystar.gov/products/hot-water-heater-replacement-guide to learn more. SMART THERMOSTATS - ENERGY STAR®* ELECTRIC HEATING ONLY REBATE: 50% of cost; not to exceed \$90 ELECTRIC HEATING AND AIR CONDITIONING REBATE - ELECTRIC HEAT: 50% of cost; not to exceed \$100 ELECTRIC HEATING AND AIR CONDITIONING REBATE - HEAT PUMP: 50% of cost; not to exceed \$50 ENERGY STAR® qualified product list: www.energystar.gov/productfinder/product/certified-connected-thermostats, *ONLY AVAILABLE TO SYSTEMS THAT CONTROL ELECTRIC HEATING OR CONTROL ELECTRIC HEATING AND AIR CONDITIONING SYSTEMS.						
Manufacturer's Name:		Mod	el #:			
Number of Units Installed (limit 1):	Data	of Installation:	5	Smart Thermo	netat Coet	
	Date	or mstanation.		Smart memic	ostat cost.	_
What type of heating system does the smart thermostat control?:	Air Source Heat Pump	Ground Sou	rce Heat Pump	Electric Heat	Natural Gas/Other	
Heating System Manufacturer's Name:		Mod	el #:			
Does the smart thermostat control air cont	onditioning?: YES	NO		OFFICE U		

Thank you for purchasing new, efficient appliances and equipment and for applying for a CONSERVE & SAVE™ rebate!

When purchasing new items, continue to look for the Energy Star®, Energy Star® Most Efficient, and WaterSense® labels. By doing so, you will save energy, water, and money while ensuring product performance. Austin, Owatonna, and Rochester Public Utilities may also offer a CONSERVE & SAVE™ rebate on your purchase! For a complete list of available rebates, amounts, and to download rebate applications with minimum efficiency requirements and complete terms and conditions, visit your utility's website:

www.austinutilities.com · www.owatonnautilities.com · www.rpu.org







