# CONSERVE & SAVE™

# **COMMERCIAL COOLING EQUIPMENT REBATE APPLICATION**

# SECTION A. CUSTOMER INFORMATION (please print)

Account Name					Doing B	usiness As (if dif	ferent from Acco	unt Name)	
Installation Address					City			State	Zip Code
Mailing Address (if dif	ferent from above)	(rebate chec	ck will be mailed h	nere)	City			State	Zip Code
Account Number		(R	Send us a rebares \$75 and und			ebate to our ac ount. If a box is not		dit will automatica	ally be issued.)
Type of Business:	Church	Governm	ent Groce	ery	Health	Industrial	Lodging		
	Multi-family	Office	Resta	aurant	Retail	School	Other		
How did you hear al	oout CONSERVE &	& SAVE"?	Billboard Cl	hamber of C	commerce	Contractor	Newspaper	Radio	
Retailer/Vendor	Social Media	TV Ut	tility Newsletter	Utility Re	epresentative	Utility Web S	Site Other		

# SECTION B. CONTACT INFORMATION (please print)/CUSTOMER SIGNATURE

# ATTENTION: ALL <u>INVOICES OR RECEIPTS</u> AND ALL <u>SPECIFICATION SHEETS</u> MUST BE INCLUDED WITH YOUR FULLY-COMPLETED AND SIGNED APPLICATION OR APPLICATION WILL BE RETURNED.

Contact Name (rebate check will be mailed to contact)

Daytime Phone Number

Date

Email

By typing my first and last names in the box below, I certify that all the information in the application (including any associated worksheets) is correct to the best of my knowledge. I have read and agree to the Terms and Conditions on the back of this application booklet. I understand that if any equipment in conjunction with this application is ordered, purchased, or installed before approval from The Utility is received, the proposed project may not qualify for a rebate.

Customer's Signature

Check here if you DO NOT give us permission to use your business name in advertising our CONSERVE & SAVE" programs.

# SECTION C. CONTRACTOR/VENDOR INFORMATION (please print)

Company Name			
Address	City	State Zip C	ode
Contact Name	Daytime Phone	Number	
Email			

TEAMING UP TO SAVE YOU MONEY	OFFICE USE ONLY Date Received:
PJ ( )	Inspected (Date & Initials): Pre: Post:
AUSTIN UTILITIES Constitute to Reservice Constitutes to Reservice Const	Approval:TOTAL REBATE:
<b>CONSERVE &amp; \$AVE</b> "	A/N: \$

# SECTION D. REBATE INFORMATION – ROOFTOP, SPLIT SYSTEMS, AND PACKAGED A/C UNITS

RETROFIT

**NEW CONSTRUCTION** 

**Project Type:** 

(NOTE: If your new equipment is rated in SEER or EER, then complete this page. Otherwise, see page 3.)

S

Total

Rebate

(0 + R)

**Estimated Hours** 

986

785

408

563

865

1,298

754

589

446

651

1,263

729

652

686

574

409

**EXISTING SYSTEM** REBATE NEW SYSTEM (if operational) F Α B С D F G Н Κ M Ν 0 Ρ 0 R Qty. AHRI Unit Existing Unit Manufacturer Model Unit Minimum Actual Qty. Annual Equipment Base Base Eligible **Bonus Bonus** SEER\* Efficiency SEER\* Efficiency Rebate\*\* Size Code Name Number Size Ref Number Cooling Cost Rebate Rebate Rebate **IEER**\* (Table 1) (Tons) **IEER**\* Hours \$/Ton (G x K x N) Bonus \$/Ton  $(P \times Q) \times$ (Tons) (Table 1) or EER<sup>\*</sup> or EER (Table 2) (Table 1) (J-I)(Table 1) (G x K) x 10 \$50 \$5 1. SEER SEER IFFR IFFR FER EER 2. \$50 \$5 SEER SEER IEER IEER FER FFR З. \$50 \$5 SEER SEER IEER IEER FFR FFR TOTAL TABLE 1 – OUALIFYING EFFICIENCIES AND REBATE SCHEDULE Base Eff. Bonus Minimum **Base Efficiency REBATE IS LIMITED TO 50% OF** Unit Code Rebate Rebate\*\* **Qualifying Equipment** Efficiency for Existing Equipment (\$/Ton) (\$/Ton) **NEW EQUIPMENT COST.** \$50 UT1A-20 DX Split Units less than 65,000 BTU/hour 14.5 SEER\* \$5 13.0 SEER \$5 UT1B-20 DX Packaged Units less than 65,000 BTU/hour 15.5 SEER3 \$50 14.0 SEER TABLE 2 – GUIDELINES FOR COOLING HOURS UT2-20 DX Units 65,000 - 134,999 BTU/hour 13.9 IEER\* \$50 \$5 12.7 IEER UT3-20 DX Units 135.000 - 239.999 BTU/hour 13.3 IFFR\* \$50 \$5 12.2 IFFR **Business Type** UT4-20 DX Units 240.000 - 759.000 BTU/hour 12.6 IEER\* \$50 \$5 11.4 IEER Convenience Store DX Units 760,000 BTU/hour and greater UT5-20 10.5 IEER\* \$50 \$5 9.6 IEER Education - Community College UT6-20 DX Condensing Units greater than 135.000 BTU/hour 15.5 IEER\* \$50 \$5 14.0 IEER Education - Primary PTAC1-NC-20 Packaged Terminal A/C Units (new construction - less than 7.000 BTU/hour) 13.3 EER\* \$50 \$5 11.9 EER Education - Secondary \$5 PTAC2-NC-20 Packaged Terminal A/C Units (new construction - 7,000 - 15,000 BTU/hour) 15.0 - (0.3 x Btuh Capacity/1000) EER\* \$50 14.0 - (0.3 x Btuh Capacity/1000) EER Health/Medical - Clinic PTAC3-NC-20 11.3 EER\* \$50 \$5 9.5 EER Packaged Terminal A/C Units (new construction - greater than 15,000 BTU/hour) Health/Medical - Hospital PTAC1-R-20 Packaged Terminal A/C Units (replacement - less than 7,000 BTU/hour) 10.5 EER\* \$50 \$5 9.4 EER Lodging PTAC2-R-20 Packaged Terminal A/C Units (replacement - 7,000 - 15,000 BTU/hour) 11.9 - (0.213 x Btuh Capacity/1000) EER\* \$50 \$5 10.9 - (0.213 x Btuh Capacity/1000) EER Manufacturing PTAC3-R-20 Packaged Terminal A/C Units (replacement - greater than 15,000 BTU/hour) 9.5 EER\* \$50 \$5 7.7 EER Office - Low Rise PTHP1-NC-20 Packaged Terminal Heat Pump Units (new construction - less than 7,000 BTU/hour) 13.3 FFR\* \$50 \$5 11.9 FFR Office - Mid Rise PTHP2-NC-20 Packaged Terminal Heat Pump Units (new construction - 7.000 - 15.000 BTU/hour) 15.0 - (0.3 x Btuh Capacity/1000) EER\* \$50 \$5 14.0 - (0.3 x Btuh Capacity/1000) EER Office - High Rise PTHP3-NC-20 Packaged Terminal Heat Pump Units (new construction - greater than 15.000 BTU/hour) 11.3 FFR\* \$50 \$5 9.5 EER PTHP1-R-20 Packaged Terminal Heat Pump Units (replacement - less than 7.000 BTU/hour) 10.5 EER\* \$50 \$5 9.3 EER Other/Miscellaneous 11.9 - (0.213 x Btuh Capacity/1000) EER\* PTHP2-R-20 Packaged Terminal Heat Pump Units (replacement - 7.000 - 15.000 BTU/hour) \$50 \$5 10.8 - (0.213 x Btuh Capacity/1000) EER Restaurant PTHP3-R-20 Packaged Terminal Heat Pump Units (replacement - greater than 15,000 BTU/hour) 9.5 EER\* \$50 \$5 7.6 EER Retail - Large Department Store Retail - Strip Mall \*In Columns B and J, please enter Existing and Actual SEER, IEER, or EER value, respectively, and then check SEER, IEER, or EER. Warehouse SEER = Seasonal Energy Efficiency Rating; IEER = Integrated Energy Efficiency Rating; EER = Energy Efficiency Rating \*\*Efficiency Bonus Rebate provides an additional incentive for each 0.10 SEER/IEER/EER above the Minimum Efficiency.

IF RETROFIT, IS EXISTING EQUIPMENT STILL OPERATIONAL?

YES

NO

Note: Qualifying unitary A/C units must have been rated in accordance with the most recent version of AHRI Standard 210/240 if under 65,000 BTU/hour and AHRI 340/360 if above 65,000 BTU/hour, and have nameplate data stamped with the SEER/IEER/EER. If equipment is larger than the AHRI Standard certification process, it must be listed as a standard combination in manufacturer's literature. A copy of the manufacturer's applicable unit rating must accompany this application. The AHRI directory and standards are located at www.ahridirectory.org.

# SECTION E. REBATE INFORMATION – ROOFTOP, SPLIT SYSTEMS, AND PACKAGED A/C UNITS

(NOTE: If your new equipment is rated in SEER2 or EER2, then complete this page. Otherwise, see page 2.)

**Project Type:** 

**NEW CONSTRUCTION** 

**RETROFIT** IF RETROFIT, IS EXISTING EQUIPMENT STILL OPERATIONAL? YES

NO

Warehouse

409

EXISTING SYSTEM (if operational) N E W					s y	STEN	Л							REBA	TE			
A	В	С	D	E	F	G	H		J	K	L	М	Ν	0	P	Q	R	S
Size (Tons)	Existing SEER* IEER* or EER*		Unit Code (Table 3)	Manufacturer Name	Model Number	Unit Size (Tons)	AHRI Ref Number	Minimum Efficiency (Table 3)	Actual SEER2* IEER* or EER2*	Qty.	Annual Cooling Hours (Table 4)	Equipment Cost	Base Rebate \$/Ton (Table 3)	Base Rebate (G x K x N)	Eligible Efficiency Bonus (J – I)	Bonus Rebate** \$/Ton (Table 3)	<b>Bonus</b> <b>Rebate</b> (P × Q) × (G × K) × 10	Total Rebate (O + R)
1.	SEER IEER EER								SEER2 IEER EER2				\$50			\$5		
2.	SEER IEER EER								SEER2 IEER EER2				\$50			\$5		
3.	SEER IEER EER								SEER2 IEER EER2				\$50			\$5		
TABLE 3	– OUALI	IFYING	EFFICIEN	CIES AND REBATE SC	HEDULE											TOT/		
	TABLE 3 – QUALIFYING EFFICIENCIES AND REBATE SCHEDULE         Unit Code       Qualifying Equipment						imum Siency		Base         Eff. Bonus           Rebate         Rebate**           (\$/Ton)         (\$/Ton)   Base Efficiency for Existing Equipment				nt	REBATE IS LIMITED TO 50% OF NEW EQUIPMENT COST.				
UT1A-2				n 65,000 BTU/hour				SEER2*		\$50	\$5		13.0 SEER					
UT1B-2	-		, 	s than 65,000 BTU/hour		14.8 SEER2*			\$50	\$5		14.0 SEER						
UT2-20 UT3-20			,	,999 BTU/hour 9,999 BTU/hour		13.9 IEER* 13.3 IEER*			\$50 \$50	\$5 \$5	12.7 IEER 12.2 IEER			TABLE 4 – GUIDELINES FOR COOLING HO				
UT4-20			,	9,999 BT0/11001 9,000 BTU/hour		13.3 IEER* 12.6 IEER*			\$50	\$5	12.2 IEER 11.4 IEER			Business Type			stimated Hours	
UT5-20				/hour and greater		-		IEER*		\$50	\$5		9.6 IEER			e Store		986
UT6-20	х рх	( Conder	nsing Units g	reater than 135,000 BTU	/hour	1	15.5	IEER*		\$50	\$5	14.0 IEER			Education -	- Community	College	785
PTAC1-NC	-23 Pa	ickaged T	erminal A/C U	nits (new construction - less	than 7,000 BTU/hour)		12.7	EER2*		\$50	\$5	11.9 EER			Education -	,		408
PTAC2-NC	-23 Pa	ckaged T	erminal A/C U	nits (new construction - 7,00	00 - 15,000 BTU/hour)	14.3	3 - (0.3 x Btuh Ca	apacity/1000)	EER2*	\$50	\$5	14.0 - (0.3 x	Btuh Capacity/1	.000) EER	Education -	,		563
PTAC3-NC	-23 Pa	ickaged T	erminal A/C U	nits (new construction - grea	ater than 15,000 BTU/hour)		10.8	EER2*		\$50	\$5		9.5 EER		Health/Med			865
PTAC1-R-	-23 Pa	ickaged T	erminal A/C U	nits (replacement - less than	n 7,000 BTU/hour)		10.0	EER2*		\$50	\$5		9.4 EER		Health/Med	lical - Hospi	tal	1,298
PTAC2-R-	-23 Pa	ickaged T	erminal A/C U	nits (replacement - 7,000 -	15,000 BTU/hour)	11.4	- (0.213 x Btuh (	Capacity/1000	D) EER2*	\$50	\$5	10.9 - (0.213	x Btuh Capacity/	'1000) EER	Lodging			754
PTAC3-R-	-23 Pa	23 Packaged Terminal A/C Units (replacement – greater than 15,000 BTU/hour)			9.1 E	ER2*		\$50	\$5		7.7 EER		Manufacturing			589		
PTHP1-NC	-23 Pa	ickaged T	erminal Heat F	Pump Units (new construction	n – less than 7,000 BTU/hour)		12.7	EER2*		\$50	\$5		11.9 EER		Office – Low Rise			446
PTHP2-NC	2-NC-23 Packaged Terminal Heat Pump Units (new construction - 7,000 - 15,000 BTU/hour)			14.:	3 - (0.3 x Btuh Ca	apacity/1000)	EER2*	\$50	\$5	14.0 - (0.3 x	Btuh Capacity/1	.000) EER	Office – Mid Rise			651		
	IP3-NC-23 Packaged Terminal Heat Pump Units (new construction – greater than 15,000 BTU/hour)			r)		EER2*		\$50	\$5		9.5 EER		Office – High Rise			1,263 729		
	PTHP1-R-23 Packaged Terminal Heat Pump Units (replacement – less than 7,000 BTU/hour)			10.0 EER2*				\$50	\$5		9.3 EER			Other/Miscellaneous				
					11.4	11.4 - (0.213 x Btuh Capacity/1000) EER2* \$50 \$5 10.8 - (0.213 x Btu					(1000) EER							
PTHP3-R-	IP3-R-23 Packaged Terminal Heat Pump Units (replacement - greater than 15,000 BTU/hour)					9.1 E	ER2*		\$50	\$5		7.6 EER		Retail – Larg	, ,	nt Store	686	
*In Columns B and J, please enter Existing and Actual SEER/SEER2, IEER, or							R/EER2 value	. respective	elv. and t	then c	heck SEER/	/SEER2. IEER	or EER/EER	2.	Retail – Stri	p Mall		574

#### \*In Columns B and J, please enter Existing and Actual SEER/SEER2, IEER, or EER/EER2 value, respectively, and then check SEER/SEER2, IEER, or EER/EER2.

SEER = Seasonal Energy Efficiency Rating; SEER2 = Seasonal Energy Efficiency Rating 2 (new nomenclature starting in 2023);

IEER = Integrated Energy Efficiency Rating; EER = Energy Efficiency Rating; EER2 = Energy Efficiency Rating 2 (new nomenclature starting in 2023)

\*\*Efficiency Bonus Rebate provides an additional incentive for each 0.10 SEER2/IEER/EER2 above the Minimum Efficiency.

Note: Qualifying unitary A/C units must have been rated in accordance with the most recent version of AHRI Standard 210/240 if under 65,000 BTU/hour and AHRI 340/360 if above 65,000 BTU/hour, and have nameplate data stamped with the SEER2/IEER/EER2. If equipment is larger than the AHRI Standard certification process, it must be listed as a standard combination in manufacturer's literature.

3 A copy of the manufacturer's applicable unit rating must accompany this application. The AHRI directory and standards are located at www.ahridirectory.org.

# SECTION F. REBATE INFORMATION – MINI-SPLIT AC UNITS < 65,000 Btuh

# (NOTE: If your new equipment is rated in SEER or EER, then complete this page. Otherwise, see page 5.)

**Project Type:** 

**NEW CONSTRUCTION** 

YES **RETROFIT** IF RETROFIT, IS EXISTING EQUIPMENT STILL OPERATIONAL?

EXISTING SYS					NEW	SYSTEM	1					REBATE			
А Туре	B Efficiency (if efficiency is known, enter value then check SEER or EER)	C Unit Code (Table 5)	D AHRI Reference Number1	E Cooling Capacity2 (Btuh)	F Rated Efficiency	G Mini-Split Manufacturer	H Outdoor Unit Model	 Indoor Unit Model	J Furnace Manufacturer	K Furnace Model	L Annual Cooling Hours (Table 6)	M Annual Heating Hours (Table 6)	) Installation Date	P Total Equipment Cost	Q Total Rebate (see calculations below)
Central AC Through-the-Wall AC Mini-Split Other/Unknown	SEER -OR- EER -OR- EFFICIENCY UNKNOWN				SEER EER (if available)										
Central AC Through-the-Wall AC Mini-Split Other/Unknown	SEER -OR- EER -OR- EFFICIENCY UNKNOWN				SEER EER (if available)										

#### <sup>1</sup> www.ahridirectory.org

<sup>2</sup> For multi-head ductless systems, the capacity is the minimum of the total indoor unit capacity or the outdoor unit capacity.

REBATE CALCULATIONS:		
DM1-24 (Cooling Capacity less than 20,000 Btuh): Qty	_ X (\$100 + [(Rated SEER)	15.2 SEER) X \$20]) =
DM2-24 (Cooling Capacity 20,000-65,000 Btuh): Qty	_ X (\$200 + [(Rated SEER)	15.2 SEER) X \$20]) =

#### **REBATE IS LIMITED TO 50% OF NEW EQUIPMENT COST.**

TOTA

TABLE 5 – QUALIFYING EFFICIENCIES AND REBATE SCHEDULE										
Code	Qualifying Equipment	Minimum Efficiency	Rebate/Unit	Efficiency Bonus Rebate*						
DM1-24	Cooling Capacity less than 20,000 Btuh	ity less than 20,000 Btuh 15.2 SEER \$100		\$20						
DM2-24	Cooling Capacity 20,000–65,000 Btuh	15.2 SEER	\$200	\$20						

SEER=Seasonal Energy Efficiency Rating

\* Efficiency Bonus Rebate provides an additional incentive for efficiencies above 15.2 SEER

Qualifying air conditioners must be rated in accordance with the most recent version of ARI Standard 210/240 and have nameplate data stamped with the SEER. A copy of the manufacturer's applicable unit rating must accompany this application. The AHRI directory and standards are located at www.ahridirectory.org.

TABLE 6 – GUIDELINES FOR CO	TABLE 6 – GUIDELINES FOR COOLING & HEATING HOURS								
Business Type	<b>Cooling Hours</b>	Heating Hours							
Convenience Store	986	1,546							
Education – Community College	785	1,616							
Education – Primary	408	1,961							
Education – Secondary	563	2,098							
Health/Medical - Clinic	865	1,830							
Health/Medical - Hospital	1,298	2,054							
Lodging	754	1,934							
Manufacturing	589	1,144							
Office – Low Rise	446	1,904							
Office – Mid Rise	651	1,610							
Office – High Rise	1,263	1,793							
Other/Miscellaneous	729	1,533							
Restaurant	652	1,760							
Retail – Large Department Store	686	1,530							
Retail – Strip Mall	574	1,444							
Warehouse	409	1,393							

NO

# **SECTION G. REBATE INFORMATION – MINI-SPLIT AC UNITS < 65,000 Btuh**

(NOTE: If your new equipment is rated in SEER2 or EER2, then complete this page. Otherwise, see page 4.)

**Project Type:** 

**NEW CONSTRUCTION** 

**RETROFIT** IF RETROFIT, IS EXISTING EQUIPMENT STILL OPERATIONAL? YES

EXISTING SYS		NEW SYSTEM											REBATE			
А Туре	B Efficiency (if efficiency is known, enter value then check SEER or EER)	C Unit Code (Table 7)	D AHRI Reference Number1	E Cooling Capacity2 (Btuh)	F Rated Efficiency	G Mini-Split Manufacturer	H Outdoor Unit Model	 Indoor Unit Model	J Furnace Manufacturer	K Furnace Model	L Annual Cooling Hours (Table 8)	M Annual Heating Hours (Table 8)		) Installation Date	P Total Equipment Cost	Q Total Rebate (see calculations below)
Central AC Through-the-Wall AC Mini-Split Other/Unknown	SEER -OR- EER -OR- EFFICIENCY UNKNOWN				SEER2 EER2 (if available)											
Central AC Through-the-Wall AC Mini-Split Other/Unknown	SEER -OR- EER -OR- EFFICIENCY UNKNOWN				SEER2 EER2 (if available)											

<sup>1</sup> www.ahridirectory.org

<sup>2</sup> For multi-head ductless systems, the capacity is the minimum of the total indoor unit capacity or the outdoor unit capacity.

REBATE CALCULATIONS:		
DM1-24 (Cooling Capacity less than 20,000 Btuh): Qty	_X (\$100 + [(Rated SEER2)	15.2 SEER2) X \$20]) =
DM2-24 (Cooling Capacity 20,000-65,000 Btuh): Qty	_ X (\$200 + [(Rated SEER2)	15.2 SEER2) X \$20]) =

#### **REBATE IS LIMITED TO 50% OF NEW EQUIPMENT COST.**

TOTA

TABLE 7 – QUALIFYING EFFICIENCIES AND REBATE SCHEDULE								
Code	Qualifying Equipment	Minimum Efficiency	Rebate/Unit	Efficiency Bonus Rebate*				
DM1-24	Cooling Capacity less than 20,000 Btuh	15.2 SEER2	\$100	\$20				
DM2-24	Cooling Capacity 20,000–65,000 Btuh	15.2 SEER2	\$200	\$20				

SEER = Seasonal Energy Efficiency Rating

SEER2 = Seasonal Energy Efficiency Rating 2 (new nomenclature starting in 2023)

EER = Energy Efficiency Rating

EER2 = Energy Efficiency Rating 2 (new nomenclature starting in 2023)

\* Efficiency Bonus Rebate provides an additional incentive for efficiencies above 15.2 SEER2

Qualifying air conditioners must be rated in accordance with the most recent version of ARI Standard 210/240 and have nameplate data stamped with the SEER2. A copy of the manufacturer's applicable unit rating must accompany this application. The AHRI directory and standards are located at www.ahridirectory.org.

TABLE 8 – GUIDELINES FOR COOLING & HEATING HOURS							
Business Type	<b>Cooling Hours</b>	<b>Heating Hours</b>					
Convenience Store	986	1,546					
Education – Community College	785	1,616					
Education – Primary	408	1,961					
Education – Secondary	563	2,098					
Health/Medical - Clinic	865	1,830					
Health/Medical - Hospital	1,298	2,054					
Lodging	754	1,934					
Manufacturing	589	1,144					
Office – Low Rise	446	1,904					
Office – Mid Rise	651	1,610					
Office – High Rise	1,263	1,793					
Other/Miscellaneous	729	1,533					
Restaurant	652	1,760					
Retail – Large Department Store	686	1,530					
Retail - Strip Mall	574	1,444					
Warehouse	409	1,393					

NO

# **SECTION H. TERMS AND CONDITIONS**

# 1. ELIGIBILITY

Rebates are available to non-residential electric customers of Austin Utilities, Owatonna Public Utilities, and Rochester Public Utilities (herein referred to as The Utility). All products must be in use in facilities in The Utility service territory.

#### 2. APPLICATION

Program is offered January 1 through December 31 of the respective calendar year. **Due to limited funding, this rebate offer can be changed or withdrawn at any time without notice and is available on a first-come, first-served basis.** The entire rebate application must be read and filled out completely or application will be returned.

# 3. INSPECTION AND VERIFICATION

The Utility reserves the right to inspect the customer's facility through on-site visits before and after new equipment installation to verify rebate eligibility. The Utility reminds you to follow all local permitting and building code ordinances.

## 4. INSTALLATION AND REBATE AMOUNTS

Qualifying energy-efficient equipment installed and operational within six (6) months of the date of purchase are eligible for rebate. Additional time may be granted subject to The Utility's pre-approval. In no case will the rebate paid by The Utility exceed the purchase price of the equipment. The maximum rebate amount is \$100,000 per customer location per technology per year.

## 5. INVOICE AND PAYMENT

Following inspection and verification (see #3) and <u>completed</u> installation, the customer must notify The Utility and submit original invoices specifying the model number, quantity and price of all materials purchased, the date ordered, installation costs, and applicable taxes. Additionally, SEER/EER (Rooftop, Packaged, and Condensing A/C Units) certification data is required to be submitted with invoices. After satisfactory review of the application and invoices, a rebate check or bill credit will be issued to the customer. Vendors or contractors are not eligible to receive their customer's rebate. Please allow 6-10 weeks from the date of application submission for delivery of rebate check or bill credit. The Utility reserves the right to apply the rebate to past due accounts.

# 6. EQUIPMENT ELIGIBILITY REQUIREMENTS

Eligible high-efficiency cooling equipment must be new and meet or exceed The Utility's minimum efficiency requirements as identified in Tables 1 and 3 according to its respective characteristics. Eligible high-efficiency cooling units must replace units of lesser efficiencies and of equivalent or greater capacity (Tons or Btu's/hour) to qualify for a rebate.

**Rooftop, Split Systems, and Packaged A/C Units:** Qualifying unitary A/C units must have been rated in accordance with the most recent version of AHRI Standard 210/240 if under 65,000 BTU/hour and AHRI 340/360 if above 65,000 BTU/hour, and have nameplate data stamped with the SEER/SEER2/EER/EER2. If equipment is larger than the AHRI Standard certification process, it must be listed as a standard combination in manufacturer's literature. A copy of the manufacturer's applicable unit rating must accompany this application. The AHRI directory and standards are located at www.ahridirectory.org.

**Mini-Split A/C Units:** Qualifying AC units must have been rated in accordance with the most recent version of AHRI Standard 210/240 and have nameplate data stamped with the SEER/SEER2. A copy of the manufacturer's applicable unit rating must accompany this application. The AHRI directory and standards are located at www.ahridirectory.org.

## 7. TAX INFORMATION

The Utility will not be responsible for any tax liability imposed as a result of the rebate payment(s). Customers are advised to consult their tax advisors for details.

#### 8. DISCLAIMER

The Utility does not guarantee that the implementation of energy-efficient measures or use of the equipment purchased or installed pursuant to this program will result in energy or cost savings. The Utility makes no warranties, expressed or implied, with respect to any equipment purchased or installed including, but not limited to, any warrant of merchantability or fitness for purpose. In no event shall The Utility be liable for any incidental or consequential damages. Customers are solely responsible for the proper disposal of existing equipment. Consult the Minnesota Pollution Control Agency (MPCA) office for details at 800.657.3864.

#### 9. ENDORSEMENT

The Utility does not endorse any particular vendor, manufacturer, product, or system in promoting this rebate program. Listing a vendor or product does not constitute an endorsement, nor does it imply that unlisted vendors or products are deficient or defective in any way.

#### **10. PRIVACY**

Information contained in this rebate application may be shared with the Minnesota Department of Commerce and our co-op partners and also may be used in our advertising efforts with your permission as granted in Section B of this rebate application.

# MAIL OR EMAIL COMPLETED APPLICATION AND REQUIRED DOCUMENTATION TO YOUR UTILITY PROVIDER:

Austin Utilities Attn: Rebate Processing 1908 14th St NE Austin, MN 55912-4904 507-433-8886 www.austinutilities.com rebates@austinutilities.com

# **Owatonna Public Utilities**

Attn: Rebate Processing PO Box 800 Owatonna, MN 55060-0800 507-451-2480 www.owatonnautilities.com rebates@owatonnautilities.com

#### **Rochester Public Utilities**

Attn: Rebate Processing 4000 E River Rd NE Rochester, MN 55906-2813 507-280-1500 www.rpu.org rebates@rpu.org